

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method of video signal processing, comprising the steps of conducting three linear filtering operations on an input video signal to produce three filtered signals, a first signal, a second signal, and a third signal, each linear filtering operation comprising the taking of a weighted sum of pixels; and multiplying the first signal and the second signal to form the product of the first signal and the second signal and multiplying the third signal and the product of the first signal and the second signal together ~~said three filtered signals~~ to produce an output video signal being the product of the first signal, the second signal and the third signal.
2. (Previously amended) A method according to Claim 1, wherein said weighted sum is taken over pixels for the input video signal defined by a filter aperture.
3. (Original) A method according to Claim 2, wherein all three linear filtering operations have the same filter aperture.
4. (Original) A method according to Claim 1, wherein, for at least one linear filtering operation, the taking of a weighted sum of pixels includes the output pixel of the respective linear filtering operation.
5. (Currently Amended) A method of video signal processing, comprising the steps of conducting three linear filtering operations on an input video signal to produce three filtered signals, each linear filtering operation comprising the taking of a weighted sum of pixels; and multiplying together said three filtered signals to produce an output video signal, ~~according to Claim 1~~, wherein the product of two of said filtered signals is formed and a linear filtering operation conducted on that product, prior to multiplication of said product by the third filtered signal.
6. (Previously presented) A method according to Claim 1, wherein said three filtered signals are multiplied together without intervening filtering of the three filtered signals.
7. (Previously presented) A method according to Claim 1, wherein a further linear filtering operation is conducted in parallel on the input video signal, with the result of said

further linear filtering operation being combined with the multiplication product of said three filtered signals to produce an output video signal.

8. (Original) Apparatus for video signal processing comprising an input terminal for receiving an input video signal; first, second and third linear filters each connected with the input terminal and arranged to provide an output through taking a weighted sum of pixels; a first multiplier for multiplying together the respective outputs of the first and second filters; and a second multiplier for multiplying together the respective outputs of the first multiplier and the third filter to produce an output video signal.
9. (Previously presented) Apparatus according to Claim 8, wherein said weighted sum is taken over pixels of the input video signal defined by a filter aperture.
10. (Original) Apparatus according to Claim 9, wherein said three linear filters have the same filter aperture.
11. (Original) Apparatus according to Claim 8, wherein at least one linear filter is arranged to take a weighted sum of pixels which includes the output pixel of the respective linear filter.
12. (Previously amended) Apparatus according to Claim 8, wherein there is further provided a linear filter connected between the output of said first multiplier and the input to said second multiplier.
13. (Previously presented) Apparatus according to Claim 8, wherein there is a direct connection between the output of said first multiplier and the input to said second multiplier.
14. (Previously presented) Apparatus according to Claim 8, wherein the apparatus further comprises a linear filter path connected with the input terminal, and a combiner for combining the outputs of the linear filter path with the output of said second multiplier.
15. (Original) Apparatus according to Claim 6, wherein a filter is interposed between the output of the second multiplier and said combiner.